

## Plastic Dollies PD series

▲ Strong ABS construction.



Model No.		PD150	PD250A	PD250B	PD250C
Capacity	(kg)	150	250	250	250
Suit for Container Size	(mm)	605x405 / 575x307 / 545x305	601x410	570x370 / 545x355	570x370 / 545x355
Overall Size	(mm)	615x415x180	602x425x165	605x403x170	605x403x170
No. of Swivel Castor	(pcs)	4	2	4	4
No. of Fixed Castor	(pcs)	0	0	0	0
Castor Diameter	(mm)	Φ100	Φ100	Φ100	Φ100
Net Weight	(kg)	3.8	2.8	3.8	9

## Steel/Zinc Container Dollies ZD / DS series

▲ Designed for use in 'clean areas' such as food industry, hospitals, etc.  
 ▲ ZD model is galvanized; DS model is powder coated

Model No.		ZD400A	ZD400B
Capacity	(kg)	400	400
Suit for Container Size	(mm)	600x400	800x600
Deck Height	(mm)	130	130
Overall Size	(mm)	620x420x150	820x620x150
No. of Swivel Castor	(pcs)	4	4
Castor Diameter	(mm)	Φ100	Φ100
Net Weight	(kg)	7	9.5



## Container Trolley TY200

▲ Simple and easy to lift and move container.

Model No.		TY200
Capacity	(kg)	200
Suit for Container Size	(mm)	600x400, 400x300
Overall Size	(mm)	1090x500x840
Net Weight	(kg)	18



## Platform Trolley TH series

▲ Built for long service-ideal for office, school, factory, warehouse and in-store use.  
 ▲ Anti-slip covered platform.  
 ▲ Neat, buffer strip all round platform edge.  
 ▲ Fold down handle with foot operated release bar.  
 ▲ Positive locking in operational and folded mode.  
 ▲ Fitted with 2 fixed and 2 swivel castors.



Model No.		TH150	TH300	TH350
Capacity	(kg)	150	300	350
Platform Size	(mm)	735x480	910x610	910x610
Castor/Wheel Dia.	(mm)	Φ100	Φ125	Φ200
Overall Size	(mm)	735x475x830	910x610x870	910x610x1050
Net Weight	(kg)	8.2	16.7	20

## Platform Trolley TD series

▲ Heavy duty design for industrial applications.  
 ▲ Non-marking rubber wheels and castors.



Model No.		TD1/150	TD1/250	TD1/300	TD2/120	TD3/120
Capacity	(kg)	150	250	300	120	120
Platform Size	LxB (mm)	740x480	910x610	910x610	740x480	740x480
Handle Height	H (mm)	860	890	890	860	860
Castor / Wheel Dia. x Width (mm)		Φ100x35	Φ125x35	Φ125x35	Φ100x35	Φ100x35
Net Weight	(kg)	12.5	18.5	20	21	26

## Large Platform Trolley LP / DP series

Model No.	(mm)	LP300	DP300
Capacity	(kg)	300	300
Platform Size	(mm)	1160x760	1160x760
Castor/Wheel Dia. x Width (mm)		Φ160x40	Φ160x40
Overall Size	(mm)	1160x760x860	1160x760x860
Net Weight	(kg)	39.8	45



## Wooden Platform Trolley CJ series

- ▲ Maneuverable.
- ▲ Detachable push handle.
- ▲ For holding plastic stacking containers, stacking mesh baskets etc.

Model	CJ251	CJ202
Max. Capacity (kg)	250	200
Platform Size (mm)	600x450	600x450
Platform Height (mm)	180	180/760
Caster/ Wheel Dia.xWid (mm)	Φ125x35	Φ125x35
Overall Size (mm)	830x450x860	830x450x880
Net Weight (kg)	9	14



CJ251

CJ202

## Woden Platform Trolley CJ series

- ▲ 2 swivel castors with brakes and 2 fixed wheels, rubber tires, Ø200 mm, roller bearings.

Model	CJ50A	CJ50B
Max. Capacity (kg)	500	500
Platform Size LxW (mm)	1000x700	1200x800
Platform Height (mm)	280	280
Caster/ Wheel Dia.xWid (mm)	Φ200x45	Φ200x45
Overall Size LxWxH (mm)	1150x700x1100	1350x800x1100
Net Weight (kg)	25	27



CJ50A

## Wooden Platform Trolley CJ series

- ▲ Foldable handle.
- ▲ 2 swivel castors with brake and 2 fixed wheels, Φ125 mm, rubber tires, roller bearings.
- ▲ Supplied flat pack, push handle can be simply bolted on.

Model	CJ20F
Capacity (kg)	200
Platform Height (mm)	190
Platform Size (mm)	850x430
Caster/Wheel Dia.xWid (mm)	Φ125x34
Overall Size LxWxH (mm)	970x460x1000
Net Weight (kg)	23



Foldable Handle

## Wooden Platform Trolley CU series

- ▲ The easy way to move 500kg.
- ▲ Base platform and side panels made from plywood.
- ▲ Highly maneuverable even on confined surface.
- ▲ Gentle to flooring, minimal traction resistance at initial movement.
- ▲ 2 swivel castors with brake and 2 fixed wheels, rubber tires, Ø200mm. All castors/wheels fitted with roller bearings.
- ▲ Delivered flat packed for easy bolt-on assembly.



CU50A, CU50B

CU50C, CU50D

CU50E, CU50F

CU50G, CU50H

Model	CU50A	CU50B	CU50C	CU50D	CU50E	CU50F	CU50G	CU50H
Max. Capacity (kg)					500			
Platform Size LxW (mm)	1000x700	1200x800	1000x700	1200x800	1000x700	1200x800	1000x700	1200x800
Platform Height (mm)				270				
Caster/ Wheel Dia.xWidth (mm)				Ø200x45				
Overall Size LxWxH (mm)	1100x700x1170	1300x800x1170	1000x930x1170	1200x1030x1170	1200x700x1170	1400x800x1170	1200x700x1170	1400x800x1170
Net Weight (kg)	44	46	47	50	50	53	56	60

## Wooden Platform Trolley CZ series

- ▲ A range of designs available.
- ▲ Very versatile, example in the warehouse, production, assembly, despatch, archives etc.
- ▲ 2 swivel castors with brakes and 2 fixed wheels, rubber tires, Ø125mm, roller bearings.
- ▲ Delivered flat packed for easy bolt-on assembly.

Model	CZ20A	CZ20B
Capacity (kg)	200	200
Platform Size (mm)	800x500	1000x600
Lower Shelf Height (mm)	350	350
Top Shelf Height (mm)	810	810
Caster Dia.xWid (mm)	Φ125x30	Φ125x30
Overall Size LxWxH (mm)	970x520x1070	1170x620x1170
Net Weight (kg)	30	36



CZ20A

## Wooden Platform Trolley CZ series

- ▲ For visual identification on the move, platform trucks with steel mesh panels.
- ▲ Panels individually removable.
- ▲ Load visible from all directions.
- ▲ Chassis manufactured from iron angle. Side panels made from mesh steel.
- ▲ 2 swivel castors with brake and 2 fixed wheels, rubber tires, Ø200mm, roller bearings.
- ▲ Standard model power-coated blue RAL 5012.
- ▲ Delivered flat packed for easy bolt-on assembly.

**HOT!  
SALE**



CZ50A, CZ50B



CZ50C, CZ50D



CZ50E, CZ50F



CZ50G, CZ50H



CZ50K, CZ50L



CZ50M, CZ50N

Model	CZ50A	CZ50B	CZ50C	CZ50D	CZ50E	CZ50F
Max. Capacity (kg)				500		
Platform Size LxW (mm)	1000x700	1200x800	1000x700	1200x800	1000x700	1200x800
Platform Height (mm)				270		
Castor/Wheel Dia.xWidth (mm)				Ø200x45		
Overall Size LxWxH (mm)	1200x700x1170	1400x800x1170	1200x700x1170	1400x800x1170	1100x700x1170	1300x800x1170
Net Weight (kg)	44	49	45	50	35	38

Model	CZ50G	CZ50H	CZ50K	CZ50L	CZ50M	CZ50N
Max. Capacity (kg)				500		
Platform Size LxW (mm)	1000x700	1200x800	1000x700	1200x800	1000x700	1200x800
Platform Height (mm)				270		
Castor/Wheel Dia.xWidth (mm)				Ø200x45		
Overall Size LxWxH (mm)	1100x700x1170	1300x800x1170	1200x700x1170	1400x800x1170	1000x930x1170	1200x1030x1170
Net Weight (kg)	40	43	41	44	43	46

## Wooden Platform Trolley PW series

- ▲ Swivel handle allows easy movement.
- ▲ Heavy duty, the thick hardwood deck is kiln dried for maximum strength.
- ▲ Deck is reinforced with longitudinal stiffeners for durability.



PW700



PW700A

Model No.	PW700	PW700A	PW1000
Capacity (kg)	700	700	1000
Platform Size (mm)	1200x700	1200x700	1200x700
Overall Size (mm)	1200x700x1100	1200x700x1100	1200x700x1100
N.W (kg)	55	55	85
G.W (kg)	59	59	90

## Wooden Platform Trolley PW series

- ▲ Heavy duty, the thick hardwood deck is kiln dried for maximum strength.
- ▲ Deck is reinforced with longitudinal stiffeners for durability.
- ▲ Removable handles for oversized loads.



PW600A



PW600B

Model No.	PW600A	PW600B
Capacity (kg)	600	600
Platform Size (mm)	1300x600	1100x600
Overall Size (mm)	1300x600x1090	1100x600x1090
N.W (kg)	36	33
G.W (kg)	39	36

## Wagon Trolley PMW series

- ▲ Swivel handle allows easy movement.
- ▲ Heavy duty, thick and high strength plastic deck.
- ▲ Deck is assembled easily.
- ▲ 4x10" solid rubber wheels with high quality ball bearing.



Model No.	PMW1500
Capacity (kg)	1500
Platform Size (mm)	1500x750x390
Overall Size (mm)	1900x750x1040
N.W (kg)	67
G.W (kg)	70

## Work Table Trolley CX series

- ▲ New improved shelf.
- ▲ Angle iron frame. Flush fitting shelf.
- ▲ 2 swivel castors with brakes and 2 fixed wheels, rubber tires, Ø200mm, roller bearings.

Model No.		CX30A	CX30B
Max. Capacity	(kg)	300	300
Shelf Size	L×W (mm)	1000×700	1200×800
Lower Shelf Height	(mm)	320	320
Top Shelf Height	(mm)	960	960
Castpr/Wheel	Dia×Width (mm)	Φ200×45	Φ200×45
Overall Size	L×W×H (mm)	1100×700×980	1300×800×980
Net Weight	(kg)	62	72


**CX30A**

**CX30C**

Model No.		CX30C	CX30D
Max. Capacity	(kg)	300	300
Shelf Size	L×W(mm)	1000×700	1200×800
Lower Shelf Height	(mm)	320	320
Top Shelf Height	(mm)	960	960
Castpr/Wheel	Dia×Width(mm)	Φ200×45	Φ200×45
Overall Size	L×W×H(mm)	1100×700×980	1300×800×980
Net Weight	(kg)	55	60

## Work Table Trolley CX series

- ▲ With watertight shelf trays.
- ▲ 2 swivel castors with brakes and 2 fixed wheels, rubber tires, roller bearings.
- ▲ Standard model powder-coated blue RAL5012.

Model No.		CX25
Max. Capacity	(kg)	250
Shelf Size	L×W(mm)	900×500
Lower Shelf Height	(mm)	280
Top Shelf Height	(mm)	850
Castpr/Wheel	Dia×Width(mm)	Φ125×34
Overall Size	L×W×H(mm)	1000×500×870
Net Weight	(kg)	44


**CX25**

Model No.		CX35A	CX35B
Max. Capacity	(kg)	350	350
Shelf Size	L×W(mm)	900×500	900×500
Base Shelf Height	(mm)	260	260
Top Shelf Height	(mm)	920	1110
The Height between base & the second shelf	(mm)	300	400
The Height between second & the top shelf	(mm)	320	400
Castpr/Wheel	Dia×Width(mm)	Φ160×39	Φ160×39
Overall Size	L×W×H(mm)	1000×500×940	1000×500×1130
Net Weight	(kg)	58	62


**CX35A**

## Storage Trolley SR series

- ▲ Ideal for intermediate storage and transportation.
- ▲ Mesh size 50x50mm.
- ▲ Base made from moulded chipboard.
- ▲ 2 swivel castors with brakes, 2 fixed wheels, Φ200mm, roller bearings.
- ▲ Standard model power-coated blue RAL5012.
- ▲ Can add three shelves in the trolley.
- ▲ Shelves as option.
- ▲ Each shelf made of HDF can load 50kg;
- ▲ Each shelf made of Plywood can load 100kg.
- ▲ Standard model: Rubber wheels+HDF shelf with max. loadability 300KG.
- ▲ Option: PU wheels+Plywood shelf with max. loadability 400KG.


**SR500**

**SR500A**

Model No.		SR500	SR500A
Max. Capacity	(kg)	500	500
Soleplate Size	LxW (mm)	1150x750	1150x750
Height of the Base	(mm)	270	270
Height of the Platform	(mm)	630/1050/1440	630/1050/1440
Castor/Wheel	Dia. xWid (mm)	Φ200x45	Φ200x45
Overall Size with Drawbar	(mm)	1270x750x1790	1270x750x1790
Net Weight	(kg)	54 (with 3 shelves)	122 (with 3 shelves)

## Storage Trolley CST series

- ▲ Angle steel construction.
- ▲ Removable shelves made from HDF, HDF& steel, steel web; shelves as option.
- ▲ Drawbar as option.
- ▲ 2 swivel castors with brakes, 2 fixed wheels, Φ200mm, roller bearings.
- ▲ Standard model power-coated blue RAL5012.
- ▲ Each shelf made of HDF can load 50kg;
- ▲ Each shelf made of Plywood can load 100kg.
- ▲ Standard model: Rubber wheels+HDF shelves with max. loadability 300KG.
- ▲ Option: PU wheels+Plywood shelves with max. loadability 400KG.


**CST30A**

**CST30B**

**CST30C**

Model No.		CST30A	CST30B	CST30C
Max. Capacity	(kg)	300	300	300
Soleplate Size	LxW (mm)	1150x700 (1350x800, 1300x650)		
Height of the Base	(mm)	320		
Castor/Wheel	Dia. xWid (mm)	Φ200x45		
Overall Size with Drawbar	(mm)	1300x700x1720 (1530x800x1720, 1480x650x1720)		
Net Weight	(kg)	78 (92, 83)	88 (102, 94)	58 (66, 62)

Special soleplate size available 1350x800mm, 1300x650mm.

## Universal Shelf Trolley CV series

- ▲ The steel drawers run on simple angle steel runners and are suitable for tools and small parts storage.
- ▲ 2 swivel castors with brake and 2 fixed wheels, rubber tires, Ø200mm, roller bearings.
- ▲ Standard model power-coated RAL 5012.
- ▲ Supplied flat-pack for easy assembly.


**CV20A**

**CV20B**

**CV20C (with drawer)**

Model No.		CV20A	CV20B	CV20C
Max. Capacity	(kg)	200	200	200
Shelf Size	LxW (mm)	800x450	800x450	800x450
Base Shelf Height	(mm)	160	160	160
Middle Shelf Height	(mm)	—	460	460
Top Shelf Height	(mm)	780	780	780
Castor/Wheel	Dia. xWidth (mm)	Φ100X27	Φ100X27	Φ100X27
Overall Size	LxWxH (mm)	880x460x810	880x460x810	880x460x810
Net Weight	(kg)	23	30	37

## Order Picker Cart SQ series

- ▲ With writing shelf for order selection and distribution.
- ▲ Heavy duty steel trolley with fixed clipboard shelf for writing.
- ▲ Push/pull handle, can disassemble.
- ▲ 2 swivel castors with brake and 2 fixed wheels, rubber tires, Ø125mm, roller bearings.
- ▲ Standard model power-coated RAL 5012.
- ▲ Delivered flat-pack for efficient shipping.


**SQ25A**

Model No.		SQ25A	SQ25B
Max. Capacity	(kg)	250	250
Shelf Size	LxW (mm)	900x500	1000x700
Low Shelf Height	(mm)	220	220
Top Shelf Height	(mm)	800	800
Castor/Wheel	Dia. xWidth (mm)	Φ125X34	Φ125X34
Overall Size	LxWxH (mm)	1330x500x1070	1430x700x1070
Net Weight	(kg)	43	53

## Mobile Tool Trolley WL series

### ▲ With drawer cupboard.

- ▲ Drawers with individual lock.
- ▲ 18 mm thick Multiplex worktop.
- ▲ Ball bearing mounted drawers.
- ▲ Load capacity approx. 20 kg per drawer.

### ▲ With cabinet and drawer cupboard.

- ▲ Drawers with individual lock.
- ▲ 18 mm thick Multiplex worktop.
- ▲ Cupboard with 2 shelves and ball bearing mounted drawers.
- ▲ Load capacity approx. 20 kg per drawer.


**WL50A**

**WL50B**


- ▲ Sheet steel cupboard with 2 removable steel shelves.
- ▲ Lockable with cylinder lock.

- ▲ With double door cupboard
- ▲ Worktop made from 18 mm strong Multiplex.
- ▲ Sheet steel cupboard lockable.
- ▲ Open shelf area suitable for large equipment.
- ▲ Additional shelves manufactured from beech plywood can be added, shelves are optional.


**WL50C**

**WL50D**

Model No.		WL50A	WL50B	WL50C	WL50D
Max. Capacity	(kg)	500	500	500	500
Table Size	(mm)	1150 x 700	1150 x 700	1150 x 700	1150 x 700
Height of the Table	(mm)	930	930	930	930
Internal Cupboard Dimension	DxWxH (mm)	—	650 x 510 x 560	660 x 510 x 560	660 x 1050 x 560
Left Platform Height	(mm)	300	—	300 (Right)	—
Left 3 x Drawers	Width x Depth (mm)	—	430 x 620	—	—
Right 4 x Drawers	Width x Height (mm)	430 x 60	430 x 60	—	—
	(mm)	430 x 90	430 x 90	—	—
	(mm)	430 x 120	430 x 120	—	—
	(mm)	430 x 180	430 x 180	—	—
Castor/ Wheel	Dia. x Width (mm)	Ø200 x 45	Ø200 x 45	Ø200 x 45	Ø200 x 45
Overall Size	LxWxH (mm)	1230x700x930	1230x700x930	1150x700x930	1230x700x930
Net Weight	(kg)	84	104	64	76 (with 1 shelf)

2 swivel castors with brakes and 2 wheels, Ø200mm rubber tyres as standard, Ø200mm PU tyres as option.

## Mobile Tool Trolley ME150

- ▲ When you need storage plus mobility, i-Lift mobile Work Center provide safe and secure storage and transportation for paper and tools.
- ▲ Include three dividable drawers with two shelves.
- ▲ Use as a tool cart or mobile repair station.
- ▲ High quality, smooth extension drawers extend 95% and have 22 lbs. load capacity per drawer.
- ▲ Each mobile cabinet includes two swivel casters with wheel locks and two rigid casters.
- ▲ Individual drawer latches keep drawer shut when moving.



Model No.		ME150
Total Capacity	(kg)	150
Drawer Capacity	(kg)	10
Shelf Capacity on Each	(kg)	50
Draw	LxWxH (mm)	580x300x45
The Height between draw and the second shelf	(mm)	240
The Height between the two shelves	(mm)	250
Castors/Wheels		5"
Overall Dimension	LxWxH (mm)	950x410x870
Net Weight	(kg)	26

## Mobile Tool Trolley CHF series



Tools are not included.

Model No.	CHF156	CHF157
Material	Carbon Steel	Carbon Steel
Finishing	Powder Coated	Powder Coated
Overall Size (mm)	770*460*970	770*460*970
Packing size (mm)	780*480*1015	780*480*1015
N.W./G.W (kg)	53.2/56.0KG	55.3/57.8KG
Drawers	6	7

## Trigonal-Frame Trolley PR500

- ▲ Ideal for use when moving large, bulky sheets of materials.
- ▲ Convenient tool tray located in-between Trigonal-Frame upright.
- ▲ Usable deck L x W 1200 x 580 mm.
- ▲ All welded steel construction.



Model		PR500
Capacity	(kg)	500
Overall Size	(mm)	1200x580x1180
N.W	(kg)	36
G.W	(kg)	39

## Plate Transport Trolley KK3

- ▲ Load area with ribbed rubber cover.
- ▲ Push handle delivered loosely with unit for easy self-assembly.



Model No.		KK3
Max. Load	(kg)	300
Load Area	LxW (mm)	600x200
Push Handle Height	(mm)	1200
Solid Rubber Tyres	Wheel (mm)	Φ200

## Plastic Table Trolley UD / UB series

- ▲ Latest design for industrial applications.
- ▲ Heavy duty plastic construction resists dents, chips and rust.
- ▲ Virtually Maintenance-free.
- ▲ Built-in storage bin in handle, perfect way to store small parts.
- ▲ Sturdy and stable yet lightweight, makes for easy maneuverability.
- ▲ Round corners mean no sharp edges to nick wall or furniture.
- ▲ Large, silent, non-marking 5" casters.


 UD252  
Two Shelves

 UD253  
Three Shelves

Model No.	UD252	UB252	UD253	UB253
Type	Two Shelves		Three Shelves	
Max. Capacity	(kg/lbs)	250/550	250/550	250/550
No. of Handle		1	1	1
Platform Size	(mm)	790x435x110	950x650x110	790x435x110
Upper Platform Height	(mm)	850	850	850
Height between Two Floors	(mm)	500	500	500
Lower Platform Height	(mm)	150	150	150
Caster Wheel	Dia x width (mm)	Φ125x26	Φ125x26	Φ125x26
Gross Weight	(kg)	18	22	23
Net Weight	(kg)	16	20.5	20.5

## Stainless Steel Table Trolley ST series

- ▲ A range of heavy duty, general purpose trolleys.
- ▲ All stainless steel construction.
- ▲ Choice of 2 or 3 shelves, 14 gauge stainless steel, welded in position.
- ▲ Finish: grade 304 stainless steel.



ST2/100

ST3/100

ST4/100

ST5/100

ST3/100A

Model No.	ST2/100	ST3/100	ST4/100	ST5/100	ST3/100A
Capacity	(kg)	100	100	100	100
No. of Handle		1	2	2	1
Platform Size	LxB (mm)	610X410	610X410	610X410	610X410
Handle Height	H (mm)	900	900	1300	1700
Castor	Dia x width (mm)	Φ100 x 30	Φ100 x 30	Φ100 x 30	Φ100 x 30 (2 with brake)
Net Weight	(kg)	7	8.5	10	13

## Plastic Table Trolley UCD / UCB series

- ▲ Latest design for industrial applications.
- ▲ Heavy duty plastic construction resists dents, chips and rust.
- ▲ Virtually Maintenance-free.
- ▲ Built-in storage bin in handle, perfect way to store small parts.
- ▲ Sturdy and stable yet lightweight, makes for easy maneuverability.
- ▲ Round corners mean no sharp edges to nick wall or furniture.
- ▲ Large, silent, non-marking 5" casters.



Model No.	UCD252-1	UCD252-2	UCD253-1	UCD253-2	UCB252-1	UCB252-2	UCB253-1	UCB253-2
Type	Two shelves (without plate) (with plate)		Three shelves (without plate) (with plate)		Two shelves (without plate) (with plate)		Three shelves (without plate) (with plate)	
Max.capacity (Kg/lbs)	250/550							
Handle Size (mm)	960x480				1100x640			
Shelf Size (mm)	770x480x65				910x640x65			
Upper Shelf Height (mm)	815							
Height between Shelves (mm)	560	490	250/270	180/200	560	490	250/270	180/200
Lower Shelf Height (mm)	150							
Caster wheel DiaxWidth (mm)	125x26							
Net Weight (kg)	17	17.5	21.5	22.6	20	21	26.5	28
Gross Weight (kg)	20	21	25	26	23.5	33.5	30.5	32
Packing size (mm)	955x475x220		955x475x335		1150x635x195		1150x635x300	

## Plastic Platform Trolley AK series

- ▲ Won't rust, chip or dent.
- ▲ Honeycomb reinforced underside for added strength and durability.
- ▲ Three position handle let users push, pull, or fold flat as a dolly.
- ▲ Folds easily for transport & storage.
- ▲ Non-skid surface helps prevent load shifting.
- ▲ Two swivel and two rigid polyurethane casters  
AK250 3", AK400 5".



Model No.	AK250A	AK400A
Capacity (kg/lbs)	115/250	182/400
Platform Size (mm)	800x520x70	800x520x70
Handle Height (mm)	660	800
Platform Height (mm)	90	90
Caster Wheel Dia.xWid (mm)	φ75x26	φ125x26
Overall Size (mm)	1280x520x660	1280x520x800
G.W/ N.W (kg)	10.5/8.8	11/9.5

## Aluminum Foldable Trolley AT90

- ▲ Modular components are bolted on to make repairs easier, reducing downtime.
- ▲ Corrosion-resistant, light weight aluminum and magnesium material.
- ▲ A lightweight folding hand truck with strength.
- ▲ Stores easily and conveniently in truck of a car.

Model No.	AT90
Capacity (kg)	90
Foot Plate Size (mm)	355x240
Caster Dia.xWid (mm)	φ150
Overall Size Folded (mm)	200x400x750
Overall Size Extended (mm)	410x400x1100
Net Weight (kg)	6



## Aluminum Foldable Trolley TRA100

- ▲ Strong aluminum tubular frame cart is light weight, yet handles heavy loads.
- ▲ Comfort-grip telescopic handle and simple push button operation retracts wheels and folds noseplate automatically in seconds.
- ▲ Flat folding hand cart offers the carrying capacity of a large hand truck, but folds thinner than most luggage carts.

Model No.	TRA100
Capacity (kg)	100
Foot Plate Size (mm)	486x280
Handle Height (mm)	1080
Wheel Diameter (mm)	φ175
Overall Size Folded (mm)	490x60x820
Overall Size Extended (mm)	490x450x1080
Net Weight (kg)	5



## Aluminum Foldable Trolley TRB series

- ▲ Strong aluminum tubular frame cart is light weight, yet handles heavy loads.
- ▲ Comfort-grip telescopic handle and simple push button operation retracts wheels and folds noseplate automatically in seconds.
- ▲ Flat folding hand cart offers the carrying capacity of a large hand truck, but folds thinner than most luggage carts.

**HOT!**  
**SALE**

Model No.	TRB80A	TRB80B
Type	three wheels/side	single wheel/side
Capacity (kg)	80	80
Foot Plate Size (mm)	385x280	385x270
Handle Height (mm)	1000	1000
Wheel Diameter (mm)	φ100	φ120
Overall Size Folded (mm)	390x100x630	390x60x630
Overall Size Extended (mm)	480x450x1000	400x400x1000
Net Weight (kg)	4	3



## Aluminum Convertible Trolley AM / TM series

- ▲ Quickly converts from a 2-wheels upright to a 4-wheel platform truck with a single step on the foot pedal.
- ▲ Polished, low-friction noseplate surface makes it easy to load and unload.
- ▲ Uses: Excellent for shopping mall, warehouse, and parcel deliveries.



Model No.	AM 300		TM 300	
	Hand Truck	Platform Truck	Hand Truck	Platform Truck
Capacity (kg)	200	300	200	300
Handle Height H (mm)	1310	1030	1555	1150
Platform Size LxW (mm)	860	1086x306	860	1435x306
Overall Size (mm)	520x470x1310	520x1190x1030	520x470x1555	520x1450x1150
Foot Plate Size (mm)	185x456	185x456	185x456	185x456
Rubber Swivel Castor (mm)	Φ125	Φ125	Φ125	Φ125
Pneumatic Wheel (mm)	Φ260	Φ260	Φ260	Φ260
Net Weight (kg)	17	17	19	19

## Aluminum Hand Trolley GL series

- ▲ Modular components are bolted on to make repairs easier, reducing downtime.
- ▲ Corrosion-resistant aluminum is lightweight to reduce operator fatigue, yet strong enough to handle heavy loads up to 660lbs.



Model No.	GL300A	GL300B
Capacity (kg/lbs)	300/660	300/660
Nose Plate LxW (kg)	355x190	355x190
Wheel Diameter (mm)	semi-pneumatic, 250mm/10"	
Overall Size (mm)	420x510x1260	420x510x1330
Net Weight (kg)	12.2	12.2

## Aluminum Hand Trolley AP / BP series

- ▲ Light, easy to transport and store.
- ▲ Aluminium construction with telescopic fold-down handle.
- ▲ PVC corner edging.
- ▲ 2 swivel castors and 2 fixed castors.



Model No.	AP150	BP150
Capacity (kg)	150	150
Platform Size (mm)	500x420	500x420
Platform Extended (mm)	710x420	710x420
Castor Dia. x Wid (mm)	Φ100	Φ100
Packing Size (mm)	540x240x430	540x240x430
Overall Size (mm)	710x420x950	710x420x955
Net Weight (kg)	7.3	7.9

## Aluminum Ladder Trolley TRC series

- ▲ Light, easy to transport and store.
- ▲ Aluminium construction with telescopic fold-down handle.
- ▲ Two in ONE, Ladder and Trolley.



Model No.	TRC100A	TRC100B
Type	3-Step	2-Step
Load Capacity (Ladder) (kg)	150	150
Load Capacity (Trolley) (kg)	100	100
Wheels (mm)	TPR 170	TPR 170
Nose Plate	Aluminum	
Overall Size (mm)	565x530x1130	565x530x930
Net Weight (kg)	7.5	6





### Aluminum Platform Trolley NP series

- ▲ Light weight aluminum deck.
- ▲ Wrap around corner bumper.



NP250



Model		NP150	NP250	NP300	NP350
Max. Capacity	(kg)	150	250	300	350
Platform	(mm)	750x470	900x610	1200x610	1520x750
Caster Wheel	Dia x width (mm)	Φ100	Φ127	Φ127	Φ127
Overall Size	(mm)	750x470x900	900x610x950	1200x610x950	1520x750x950
Net Weight	(kg)	9.0	14.2	15.5	25

### Aluminum Platform Trolley AF / BF / CF series

1200-3000lbs capacity

- ▲ Ideally suited for hot, wet applications.
- ▲ Lightweight, corrosion-resistant, aluminum platform trucks have a clean, handsome appearance and are built for heavy-duty use.
- ▲ Use them in the front office, stock room, warehouse, dock area, or laboratory.
- ▲ Unitized box frame is made of high strength all welded aluminum channel with heavy duty deck.
- ▲ Corner sockets at both ends allow handles to be used on either or both ends of truck.
- ▲ Two swivel and two rigid casters for smooth mobility.
- ▲ Additional handle as option.
- ▲ Mode H24 for platform 24 x 36", 24 x 48"
- ▲ Model H30 for platform 30 x 48", 30 x 60"
- ▲ Model H36 for platform 36 x 72"



Optional dual handle



Model		AF2436	AF2448	AF3048	AF3060	AF3672	BF2436	BF2448	
Capacity	kg (lbs)	900/2000				1350/3000			
Platform Size	mm(inch)	610x915 (24x36)	610x1220 (24x48)	760x1220 (30x48)	760x1525 (30x60)	915x1830 (36x72)	610x915 (24x36)	610x1220 (24x48)	
Platform Height	mm(inch)	238 (9.4)				258 (10.2)			
Handle Height	mm(inch)	995 (39.2)				1015 (40)			
Caster Wheel	mm(inch)	125x50 (5x2)				150x50 (6x2)			
Caster Type		Poly				Poly			
N.W.	kg (lbs)	20 (44)	25.5 (56.1)	28 (61.6)	33 (72.6)	38.5 (84.7)	21 (46.2)	26.5 (58.3)	

Model		BF3048	BF3060	BF3672	CF2436	CF2448	CF3048	CF3060	CF3672
Capacity	kg (lbs)	1350 (3000)	1100 (2400)			550 (1200)			
Platform Size	mm(inch)	760x1220 (30x48)	760x1525 (30x60)	915x1830 (36x72)	610x915 (24x36)	610x1220 (24x48)	760x1220 (30x48)	760x1525 (30x60)	915x1830 (36x72)
Platform Height	mm(inch)	258 (10.2)			338 (13.3)				
Handle Height	mm(inch)	1015 (40)			1095 (43.1)				
Caster Wheel	mm(inch)	150x50 (6x2)			200x50 (8x2)				
Caster Type		Poly			Pneumatic				
N.W.	kg (lbs)	29 (63.8)	34 (74.8)	39.5 (86.9)	24 (52.8)	29.5 (64.9)	32 (70.4)	37 (81.4)	42.5 (93.5)



### Stainless Steel/Steel Platform Trolley

- ▲ All welded heavy duty 14 gauge steel decks, reinforced with internal longitudinal stiffening members for extra strength.
- ▲ Removable pipe handle.
- ▲ Bolt-on casters are double ball race, two swivel and two rigid.
- ▲ Durable baked gray enamel finish.



Model No.(stainless steel)	SYF2436	SYF2448	SYF3048	SYF3060	SYF3672	SXF2436	SXF2448
Model No.(steel)	YF2436	YF2448	YF3048	YF3060	YF3672	XF2436	XF2448
Capacity	kg (lbs) 450(1000)			900(2000)			
Platform Size	mm(inch) 610x915 (24x36)	610x1220 (24x48)	760x1220 (30x48)	760x1525 (30x60)	915x1830 (36x72)	610x915 (24x36)	610x1220 (24x48)
Platform Height	mm(inch) 215 (8.5)					240(9.5)	
Handle Height	mm(inch) 840(33)					865(34)	
Caster Wheel	mm(inch) 125x50 (5x2)					150x50(6x2)	
Caster Type	Poly					Poly	
N.W.	kg (lbs) 30 (66)	35 (77)	40 (88)	45 (99)	56 (123)	31.5 (70)	36.5 (80)

Model No.(stainless steel)	SXF3048	SXF3060	SXF3672	SZF2436	SZF2448	SZF3048	SZF3060	SZF3672
Model No.(steel)	XF3048	XF3060	XF3672	ZF2436	ZF2448	ZF3048	ZF3060	ZF3672
Capacity	kg (lbs) 900 (2000)			540 (1200)				
Platform Size	mm(inch) 760x1220 (30x48)	760x1525 (30x60)	915x1830 (36x72)	610x915 (24x36)	610x1220 (24x48)	760x1220 (30x48)	760x1525 (30x60)	915x1830 (36x72)
Platform Height	mm(inch) 240 (9.5)			280 (11)				
Handle Height	mm(inch) 865 (34)			905 (37)				
Caster Wheel	mm(inch) 150x50 (6x2)			200x50 (8x2)				
Caster Type	Poly			Rubber				
N.W.	kg (lbs) 40.5 (90)	46.5 (103)	57.5 (127)	39 (86)	44 (97)	48 (106)	54 (120)	65 (143)

### Plastic Platform Trolley PP series

- ▲ No noise, no clatter-silent and hygienic. Tough one piece plastic deck.
- ▲ Unique, polypropylene castor housing and cushion rubber wheels.
- ▲ Light weight.
- ▲ Easy to maneuver.
- ▲ Impact resistant deck/shelf with load retention studs.
- ▲ Smooth, quiet, easy roll castors, 2 fixed, 2 swivel.
- ▲ Chromed tubular handle and shelf supports.
- ▲ Trolley handle folds flat onto deck for ease of storage and transportation.
- ▲ Supplied flat packed for self-assembly.



PP2/200



PP1/200

Model No.	PP1/200	PP2/200
Capacity	(kg) 200	200
Platform Size	LxB (kg) 810x500	810x500
Handle Height	H (kg) 890	890
Castor Dia. x Width (mm)	Φ120x35	Φ125x35
Net Weight	(kg) 13	18.5

## Plastic Platform Trolley PC series

- ▲ Structural foam plastic platform won't rust, chip or dent.
- ▲ Honeycomb reinforced underside for added strength and durability.
- ▲ Special non-marking silence casters with built-in bearing, fit for using in silent surroundings.
- ▲ Non-skid surface helps prevent load shifting.
- ▲ Different handles are available.



PC301A  
A-Foldable Handle



PC301B  
B-Fixed Handle



PC302C  
C-Two Fixed Handle



PC302D  
D-Two Fixed Side Handle

Model	PC201A	PC201B	PC202C	PC301A	PC301B	PC302C	PC302D
No. of Handle	1	1	2	1	1	2	2
Handle Type	A	B	C	A	B	C	D
Max. Capacity (kg)	200	200	200	300	300	300	300
Platform Size LxW (mm)	730x490	730x490	730x490	910x600	910x600	910x600	910x600
Platform Height (mm)	170	170	170	220	220	220	220
Handle Height (mm)	890	890	890	890	890	890	890
Castor Dia. x Width (mm)	Φ100 x 30	Φ100 x 30	Φ100 x 30	Φ130 x 30	Φ130 x 30	Φ130 x 30	Φ130 x 30
Net Weight (kg)	10	11	12.5	16	20	15	19

## Plastic Platform Trolley PG series

- ▲ Two shelves.
- ▲ No noise, no clatter-silent and hygienic. Tough one piece plastic deck/shelf.
- ▲ Unique polypropylene castor housing and cushion rubber wheels.
- ▲ Light weight, easy to maneuver.
- ▲ Impact resistant deck/shelf with load retention studs.
- ▲ Smooth, quiet, easy roll castors with ball bearings, 2 fixed, 2 swivel.
- ▲ Chromed tubular handle and shelf supports.
- ▲ Trolley handle folds flat onto deck for ease of storage and transportation.
- ▲ Supplied flat packed for self-assembly.
- ▲ Silent castors.



PG301

PG302

Model No.	PG201	PG202	PG301	PG302
Capacity (kg)	200	200	300	300
No. of Handle	1	2	1	2
Platform Size LxW (mm)	730x490	730x490	910x600	910x600
Upper Platform Height (mm)	700	700	770	770
Height between Two Shelves (mm)	500	500	500	500
Lower Platform Height (mm)	170	170	220	220
Handle Height (mm)	900	900	950	950
Castor Dia. x width (mm)	Φ100 x 30	Φ100 x 30	Φ130 x 30	Φ130 x 30
Gross Weight (kg)	16.3	17.3	27	28
Net Weight (kg)	15	16	25	26

## Plastic Platform Trolley PN series

- ▲ Three shelves.
- ▲ Silent castors.



PN201



PN202

Model No.	PN201	PN202	PN301	PN302
Capacity (kg)	200	200	300	300
No. of Handle	1	2	1	2
Platform Size LxW (mm)	730x490	730x490	910x600	910x600
Upper Platform Height (mm)	730	730	790	790
Height between Two Shelves (mm)	240	240	240	240
Lower Platform Height (mm)	170	170	220	220
Handle Height (mm)	920	920	990	990
Castor Dia. x width (mm)	Φ100 x 30	Φ100 x 30	Φ130 x 30	Φ130 x 30
Gross Weight (kg)	21.5	22.5	32	33
Net Weight (kg)	20	21	30	31

## Plastic Platform Trolley PM series



Model No.	PM1001	PM1501	PM1002	PM1502	PM1003	PM1503	PM1004
Capacity (kg)	1000	1500	1000	1500	1000	1500	1000
Dimensions (mm)	1850x760x135						
Gross Weight (kg)	47	52	50	55	53	58	73

Model No.	PM1504	PM1005	PM1505	PM1006	PM1506	PM1007	PM1507
Capacity (kg)	1500	1000	1500	1000	1500	1000	1500
Dimensions (mm)	1850x760x135						
Gross Weight (kg)	78	77	81	79	83	88	

## Mechanic Lifter MX series

- ▲ To replace hydraulic pallet truck when under 300kg load. Pallets are simply lifted by pulling the handle backwards (the leverage principle). Saves a lot of time as no pumping is required.
- ▲ Extremely low weight, about 25kg.
- Thanks to the low weight, the mechanic lifter can easily be carried to other floors, put into a truck or a car.
- ▲ Foldable. When not in use, it can be hung up on a hook on the wall.
- ▲ No Hydraulic pump to repair, no oil can leak out no seals to replace.
- ▲ Ideal for grocery stores, all kind of small stores pharmaceutical industry ,drugstores, offices, schools, hospitals etc..



Model No.		MX0308	MX0311
Load Capacity	(kg/lbs)	300/660	300/660
Lifting Height	(mm)	145	145
Low ered Height	(mm)	85	85
Fork Width Outside	(mm)	420	420
Fork Length	(mm)	800	1100
Width of Single Fork	(mm)	120	120
Total Height	(mm)	200/1160	200/1160
Steer Wheel	(mm)	Ø80x40	Ø80x40
Load Wheel	(mm)	Ø80x40	Ø80x40
Overall Size	(mm)	1030x420	1330x420
Net Weight	(kg)	25	30

## Manual Lifter MG series

- ▲ Light duty manual lifter.
- ▲ Options: Adjustable Fork, Roll Platform,
- ▲ Operate easily.



Model No.		MG20A	MG20B	MG20C
Type		adjustable fork	platform	transport roll
Load Capacity	(kg/lbs)	200/440	200/440	200/440
Min.Fork Height	(mm)	55	55	55
Max.Fork Height	(mm)	900	900	900
Overall Width	(mm)	660	660	660
Wheel size	(mm)	250x50	250x50	250x50

## Mechanic Lifter MR series

- ▲ For moving and transporting display pallets, fruit pallet, ect...
- ▲ Large wheels of polyurethane ensuring an excellent manoeuvrability.
- ▲ Operate easily.



Model No.		MR200
Load Capacity	(kg/lbs)	200/440
Lifting Height	(mm)	120
Low ered Height	(mm)	95
Fork Width Outside	(mm)	210
Fork Length	(mm)	580
Steering Wheel	(mm)	Ø125x32
Load Wheel	(mm)	Ø75x32
Overall Size	(mm)	920x510x1040
Net Weight	(kg)	21



## Mechanic Lifter SR series

- ▲ For moving and transporting small pallets.
- ▲ Polyurethane swivel wheels ensuring an excellent manoeuvrability.
- ▲ Operate easily.



Model No.		SR200
Load Capacity	(kg/lbs)	200/440
Lifting Height	(mm)	120
Low ered Height	(mm)	90
Fork Width Outside	(mm)	220
Fork Length	(mm)	600
Steering Wheel	(mm)	Ø75x32
Load Wheel	(mm)	Ø75x32
Overall Size	(mm)	700x550x1120
Net Weight	(kg)	22

# Professional Sack Trolley

Heavy duty design with high quality ball bearing.



	Model No.		A650-1	A550-2	A550-3	A500-4	A500-5
	Capacity		650	550		500	
	Overall	Height			49		
		Width	19.5	21.1		19.5	19
	Noseplate	DeepxWidth			8x14		
		Type	1	2	3	4	5
	Wheels	DiexW	10x2.5	10x3.5		10x2.5	8x2
		Tubular Stair Climber			Yes		
Net Weight		33	32.1	30.8	35.2	33	

	Model No.		B650-1	B550-2	B550-3	B500-4	B500-5
	Capacity		650	550		500	
	Overall	Height			48.5		
		Width	19.5	21.1		19.5	19
	Noseplate	DeepxWidth			8x14		
		Type	1	2	3	4	5
	Wheels	DiexW	10x2.5	10x3.5		10x2.5	8x2
		Tubular Stair Climber			Yes		
Net Weight		35	35.2	33	34.8	32.5	

	Model No.		C650-1	C550-2	C550-3	C500-4	C500-5
	Capacity		650	550		500	
	Overall	Height			50.5		
		Width	19.5	21.1		19.5	19
	Noseplate	DeepxWidth			8x14		
		Type	1	2	3	4	5
	Wheels	DiexW	10x2.5	10x3.5		10x2.5	8x2
		Tubular Stair Climber			Yes		
Net Weight		35.2	37.4	35.2	34.3	33	

	Model No.		D650-1	D550-2	D550-3	D500-4	D500-5
	Capacity		650	550		500	
	Overall	Height			50.5		
		Width	19.5	21.1		19.5	19
	Noseplate	DeepxWidth			8x14		
		Type	1	2	3	4	5
	Wheels	DiexW	10x2.5	10x3.5		10x2.5	8x2
		Tubular Stair Climber			Yes		
Net Weight		32.5	33.8	32.5	37	34.7	

	Model No.		E650-1	E550-2	E550-3	E500-4	E500-5
	Capacity		650	550		500	
	Overall	Height			45.5		
		Width	19.5	21.1		19.5	19
	Noseplate	DeepxWidth			8x14		
		Type	1	2	3	4	5
	Wheels	DiexW	10x2.5	10x3.5		10x2.5	8x2
		Tubular Stair Climber			Yes		
Net Weight		32.5	35.2	33	34.7	32.5	

# Professional Sack Trolley



## Cylinder Trolley AC series

- ▲ Handles comply with relevant safety regulations.
- ▲ Cylinder holder with securing safety chains.
- ▲ Solid rubber wheels each with roller bearings.
- ▲ Standard model powder-coated.

Model No.	AC10	AC20A
Type	One Cylinder	Two Cylinders
Cylinder Capacity (litres)	10 / 20 / 40 / 50	40 / 50
Cylinder Diameter (mm)	140-250	210-250
Wheel Dia.xWid (mm)	Rubber Φ200x40	Rubber Φ400x50
Overall Size LxWxH (mm)	660x600x1360	700x700x1380
Net Weight (kg)	17	45


**AC10**
**AC20A**

## Cylinder Trolley AC20B

- ▲ Support foot or support wheel prevent back pains.
- ▲ With support steering wheel for easy travel.
- ▲ Cylinder holder with chain protection.
- ▲ With holders for 2 steel cylinders.
- ▲ Solid rubber wheels each with roller bearings.
- ▲ Standard model powder-coated.

Model No.	AC20B
Type	Two Cylinders
Cylinder Capacity (litres)	40 / 50
Cylinder Diameter (mm)	210-250
Wheel Dia.xWid (mm)	Rubber Φ400x50
Support Castor Dia.xWid (mm)	Nylon Φ200x30
Overall Size LxWxH (mm)	750x550x1420
Net Weight (kg)	50



## Cylinder Storage AC20C

- ▲ For 2 steel cylinders.
- ▲ Drill holes to fasten to wall and other cylinders.
- ▲ Safety chain.
- ▲ Standard model powder-coated.

Model No.	AC20C
Type	Two Cylinders
Cylinder Capacity (litres)	40
Cylinder Diameter (mm)	230
Overall Size LxWxH (mm)	540x360x1000
Net Weight (kg)	18



## Cylinder Trolley

- ▲ Design to transport oxygen cylinder and acetylene cylinder with ease.
- ▲ Easy fold-down for storage
- ▲ All steel metal construction. Stainless Steel is available.
- ▲ Solid rubber wheels.



Model No.	NY-120	NY-130	NY-120A	NY-120B	NY-130A	NY-130B
Used for	single cylinder	double cylinder	single cylinder		double cylinder	
Material	Carbon steel	Carbon steel	SS201	SS304	SS201	SS304
Capacity (kg)	120	200	120	120	200	200
Cylinder Diameter (mm)	φ140-300	φ140-300	φ140-300	φ140-300	φ140-300	φ140-300
Wheel (mm)	Rubber φ200x40	Rubber φ200x40	Rubber φ200x40	Rubber φ200x40	Rubber φ200x40	Rubber φ200x40
Castor (mm)	PU φ75x30	PU φ75x30	PU φ75x30	PU φ75x30	PU φ75x30	PU φ75x30
Net Weight	18	25	18	15	20	20

## Cylinder Trolley

- ▲ Design to transport oxygen cylinder and acetylene cylinder with ease.
- ▲ Easy fold-down for storage
- ▲ All steel metal construction. Stainless Steel is available.
- ▲ Solid rubber wheels.



Model No.	NY-140A	NY-140B	NY-140C
Material	Carbon steel	SS201	SS304
Capacity (kg)	120	120	120
Cylinder Diameter (mm)	φ300-500	φ300-500	φ300-500
Wheel (mm)	Rubber φ200x50	Rubber φ200x50	Rubber φ200x50
Castor (mm)	PU φ75x30	PU φ75x30	PU φ75x30
Net Weight	24	21	21

## Electric Trolley EHT series

- ▲ Self-propelled with high technology motor and transmission shaft and speed controller.
- ▲ Electric magnetic brake to ensure stop in time.
- ▲ Different table size is available.



Model No.	EHT50A	EHT50B	EHT50C	EHT50D
Type Difference	platform	platform	platform with rail	platform with rail
Load Capacity (kg)	500	500	500	500
Platform Height (mm)	330	330	330	330
Handle Height (mm)	1080	1080	1080	1080
Platform size (mm)	1100×630	1280×920	1100×630	1280×920
Drive motor	DC24V, 400W	DC24V, 400W	DC24V, 400W	DC24V, 400W
Controller	70A	70A	70A	70A
Battery	2x12V, 33Ah	2x12V, 33Ah	2x12V, 33Ah	2x12V, 33Ah
Overall size (mm)	1450×630×1080	1450×920×1080	1450×630×1080	1450×920×1080
Net weight (kg)	98	110	115	128

## Electric Trolley HG series

- ▲ Self-propelled with high technology motor and transmission shaft and speed controller.
- ▲ Electric magnetic brake to ensure stop in time.
- ▲ Different table size is available.



Model No.	HG800A
Type Difference	platform
Load Capacity (kg)	800
Platform Height (mm)	330
Handle Height (mm)	1110
Platform size (mm)	1600×790
Drive motor	DC24V, 800W
Controller	36V/70A
Travel speed (km/h)	5-8
Battery	3x12V, 55Ah
Overall size (mm)	2150×900×1110
Net weight (kg)	170

## Electric Tow Tug AHG series

- ▲ Self-propelled with high technology motor and transmission shaft and speed controller.
- ▲ Electric magnetic brake to ensure stop in time.
- ▲ Different table size is available.



Model No.		AHG-126	AHG-127
Traction Capacity (kg)		1500	1500
Driving Speed (km/h)		3-6	3-6
Overall size (mm)		1150x670x1050	1385x665x1020
Curtis Controller (V/A)		24/110	24/70
Lead-acid Battery (V/Ah)		12V/33Ah*2	12V/22Ah*2
Charger (V/A)		24/4	24/2
Operation Time (Hours)		4-6	4-6
Charging Time (Hours)		8-10	8-10
Net Weight (kg)		80	75
Packing Size (mm)		1070x700x370	650x600x800

## Electric Tow Tug BHG series

- ▲ Applications: For moving any rolling objects such as Dolleys, Trolleys & Roll Cages in warehouses, workshops, supermarkets etc...
- ▲ Can be used in a wide variety of applications.
- ▲ Very compact design makes the machine extremely manoeuvrable and very easy to take it with you in bus, car or truck or any vehicles.
- ▲ Very easy to connect the hook to the object in an instant with almost no effort.
- ▲ High quality Curtis Speed Controller, which is programmable according to your needs.
- ▲ Motivated employers and more productivity.



Model No.	BHG50	BHG75	BHG100
Load capacity (kg)	500	750	1000
Driving Speed (km/h)		0-6	
Driving Motor (v/w)	DC24/400	DC24/400	DC24/400
Brake system		Electromagnetic	
Battery (v/Ah)	2*DC12V / 40Ah	2*DC12V / 70Ah	2*DC12V / 70Ah
Charger (v/Ah)	24V/10	24V/10	24V/10
Wheels		Pneumatic Driving w heel, Rear PU	
Handle		Multi-fuction	



## Electric Tow Tug QM series

- ▲ Applications: For moving any rolling objects such as Dolleys, Trolleys&Roll Cages in warehouses, workshops, supermarkets etc...
- ▲ Can be used in a wide variety of applications.
- ▲ Very compact design makes the machine extremely manoeuvrable and very easy to take it with you in bus, car or truck or any vehicles.
- ▲ Very easy to connect the hook to the object in an instant with almost no effort.
- ▲ High quality Curtis Speed Controller, which is programmable according to your needs.
- ▲ Motivated employees and more productivity.



All Stainless Steel

Model No.		QM1000N/QM1000N-S	QM2000N/QM2000N-S
Driving Motor	(V/W)	DC 24V/400	DC 24V/400
Traction Capacity	(kg)	1000	2000
Travel Speed	(km/hour)	6	6
Speed Controller		Curtis	Curtis
Battery	(V/Ah)	Portable 24/30, Weight 13kg	Portable 24/30, Weight 13kg
Charger	(V/A)	24/3	24/3
Tires	(mm)	Solid $\phi$ 250X85	Solid $\phi$ 250X85
Weight including battery	(kg)	100	120
Width	(mm)	465	510
Length without hook	(mm)	630(handle in lowest position)	630(handle in lowest position)
Handle height	(mm)	Adjustable 650~1050	Adjustable 750~1150
Standard Equipped		Battery, Charger, Standard Hook	
Options		Special Hooks, No-marking Solid Tyre	

## Electric Tow Tug WHG series

Model No.		WHG200
Load capacity	(kg)	2000
Driving Speed	(km/h)	4~5
Driving Motor	(v/w)	DC24/400
Brake system		Electromagnetic
Battery	(V/Ah)	2*DC12V / 100Ah
Charger	(V/Ah)	24V/15
Wheels		Pneumatic Driving wheel, Rear PU
Handle		Multi-function



## Electric Tow Tractor QCD series

- ▲ "H" type axle design provide stability;
- ▲ Batteries located low position and ensure excellent stability;
- ▲ Multi-function display;
- ▲ Easy-open back cover for maintenance and replacements



Model No.		QCD20	QCD30	QCD50	QCD60	QCD100
Drive Type		Battery Operated				
Rated Traction WLL	(kg)	2000	3000	5000	6000	10000
Tow bar Height	(mm)	280/350	280/350	280/350	280/350	320/400
Tyre Number F/R		1/2X	1/2X	1/2X	1/2X	2/2X
Front Tyre, solid rubber		15*4-1/2-8	15*4-1/2-8	15*4-1/2-8	15*4-1/2-8	5.00-8-10PR
Rear Tyre, solid rubber		15*4-1/2-8	15*4-1/2-8	4.00-8	4.00-8	5.00-8-12PR
Wheel Base	L1(mm)	1170	1170	1280	1280	1300
Rear Hanging Distance	L2(mm)	350	350	500	500	700
Seat Height	h3(mm)	850	850	910	910	1050
Overall Length	L(mm)	1720	1720	1975	1975	2485
Overall Width	W(mm)	970	970	1100	1100	1160
Overall Height	h(mm)	1250	1250	1250	1250	1480
Ground Distance	x(mm)	90	90	90	90	138
Min. Turning Radius	Wa(mm)	1520	1520	1650	1650	2200
Travel Speed(Laden/Uhladen)	(km/h)	8	7	8	7	6.5
Gradeability(Laden/Uhladen)		6/15	6/15	6/15	6/15	6/15
Battery	(v/Ah)	48/240	48/270	48/360	48/400	48/540
Battery Weight	(kg)	450	500	610	680	950
Net Weight	(kg)	1030	1080	1240	1360	2180

## Electric Tow Tractor QD series

Model No.		QD20	QD30	QD45-EPS
Driving Type		Electric	Electric	Electric
Operation type		Standing	Standing	Standing
Traction Capacity	(kg)	2000	3000	4500
Overall length	(mm)	1400	1400	1400
Overall width	(mm)	730	730	730
Overall height	(mm)	1660	1660	1660
Standing Platform size (L X W)	(mm)	500x680	500x680	500x680
Backup size (W x H)	(mm)	1080x730	1080x730	1280x730
Wheelbase	(mm)	920	920	920
Minimum Ground Clearance	(mm)	80	80	80
Turning radius	(mm)	1180	1180	1580
Brake type		Electric-magnetic	Electric-magnetic	Electric-magnetic
Gradeability	(%)	10	10	10
Drive Motor Power	(KW)	1.6 AC	1.6 AC	1.5 AC
Battery	(Ah/V)	210/24	210/24	270/24
Weight (w without battery)	(kg)	535	586	789
Battery weight	(kg)	185	185	245

